


**DELHI INTEGRATED MULTI-MODAL
TRANSIT SYSTEM LIMITED**
(A Joint Venture of Govt. of NCT of Delhi and IDFC Ltd.)

**“Construction of Bus Queue Shelters of
Stainless Steel Design for Delhi Transport
Corporation at various locations in Delhi”**

BID DOCUMENT

VOL II

Delhi Integrated Multi-Modal Transit System Limited,
1st Floor, Maharana Pratap ISBT Building,
Kashmere Gate, Delhi – 110 006
Phone: 011-43090100; Fax: 23860966
Website: www.dimts.in




Construction of Bus Queue Shelters of Stainless Steel Design for Delhi Transport Corporation at various locations in Delhi

VOLUME-II

INDEX

Tender documents consist of	
i)	Bill of Quantities- Package 'A'
ii)	Location Details Package 'A'
iii)	Bill of Quantities- Package 'B'
iv)	Location Details Package 'B'
v)	Bill of Quantities- Package 'C'
vi)	Location Details Package 'C'
vii)	Location Details Package 'C'




BILL OF QUANTITIES- PACKAGE 'A'



Bill of Quantity for Tender Package 'A'

Project : Construction of 157 numbers Bus Queue Shelter for DTC


S.NO.	DESCRIPTION	Qty	Unit	RATE RS.	Amount	Rs.
1	Construction of granular sub-base (structural layer) by providing close graded material, mixing in a mechanical mix plant at OMC, carriage of mixed material to work sites, spreading in uniform layers on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with vibratory roller/compactor to achieve the desired density, complete in all respect and as per relevent clause of section 401.	1317	cum			
2a	Providing and laying in position machine batched , machine mixed and machine vibrated design mix cement concrete of specified grade for reinforced cement concrete structural elements , excluding the cost of centering , shuttering , finishing and reinforcement , including admixtures in recommended proporation (as per IS 9103) to accelerate , retard setting of concrete improve workability without impairing strength and durability as per direction of Engineer - in -charge- M-25 grade reinforced cement concrete. The concrete shall be in RMC type.	352	Cum			




2b	Providing and laying in position machine batched , machine mixed and machine vibrated design mix cement concrete of specified grade for reinforced cement concrete structural elements , excluding the cost of centering , shuttering , finishing and reinforcement , including admixtures in recommended proportion (as per IS 9103) to accelerate , retard setting of concrete improve workability without impairing strength and durability as per direction of Engineer - in -charge- M-35 grade reinforced cement concrete. The concrete shall be in RMC type.	352	Cum		
3	Supply & Providing Thermo - mechanically treated reinforcement bars for R.C.C. work including straightening , cutting bending , placing in position and binding all complete.	38702	Kg		
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering -all works upto plinth level 1510(1 cement:5 fine sand:10 graded stone agregate) 40 mm nominal size	590	cum		
5	Centring and shuttering including strutting , propping etc. and removal of form work for foundation & footing, beams etc.	3127	Sqm		
6	Providing and laying machine moulded cement concrete pavers blocks of 'Rectangular (150X300mm) and Unilock type'; of red colour of 60 mm thick, factory made (compressive strength not less than 400 Kg /sq.cm.) on 40mm thick 1:2:4 cement mortar bed. Bicks include 300X300, 60mm thick yellow colour tactile paver blocks with dimples, as per CPWD requirements. All colour shall be guaranteed against wearing for minimum 10 years.	11640	Sqm		




7	Providing & fixing various member of material shall be austenitic stainless steel of the grade 1.4301 (widely known as 304) it shall contain 17-18% chromium and 8-11% nickel (As per Specification)	258793	Kg		
8	Providing and fixing 10mm thick polycarbonet multiwall sheet of bronze colour, fixed to roof purlins with top and bottom aluminium profile (anodised as per approved colour and shade) fittings and EPDM gasket as in standard make Alcox fittings or per manufacturer recomendations. Minimum of 35% light transmission and 55% solar transmission. Lexan Thermoclear Sun XP Sheet LTC10/2RS1700 (bronze) from GE structured products or equivalent. Polycarbonate multiwall sheet should be covered by 15 years of international warranty covering discoloration, loss of light transmission and loss of strength due to weathering, etc. Front and rear edges of polycarbonate multiwall sheet should be covered by plastic profile or anti dust impermeable tape.	4400	Sqm		
9	Providing and pasting at site high grade printed vinyl with bus shelter name logo, route numbers etc., on one sides of the front facia information board. The vinyl shall be minimum 150micron thick, of 3M or equivalent make with minimum 6 year warranty.	333	Sqm		




10	Providing and fixing 8mm thick scratch, flame and vandal resistant clear polycarbonate sheet on central advertisement panel. Clear Lexan Marguard sheet from GE plastics or equivalent product. Polycarbonate multiwall sheet should be covered by 15 years of international warranty covering discoloration, loss of light transmission and loss of strength due to weathering, etc.	2550	sqm		
11	Providing and fixing 4mm thick vandal resistant, solid compact clear polycarbonate sheets on side advertisement panels. Clear Lexan Marguard sheet from GE plastics or equivalent product. Polycarbonate multiwall sheet should be covered by 15 years of international warranty covering discoloration, loss of light transmission and loss of strength due to weathering, etc.	1920	Sqm		
12	Vandal Resistant light source with aluminium and polycarbonate body with compact fluorescent lamp of white colour of 55 W of standard, MY1: of keselec schreder or similar make, including cables fixing, switchgear etc., all complete.	314	each		
13	Holding down anchor bolts- 20 mm dia 350 long with bolt head and top 75 mm threaded portion with stainless steel nut and washers for balancing and anchoring all complete complete as required.	3140	each		
14	Providing and fixing M-30, PCC in Cast in Situ and Precast Kerb stones in different sizes. Precast curbs to be vibro compacted, steam cured and prepared using FRP moulds.	651	Cum		




15	Providing and fixing 32mm dia., PVC conduit pipe of Plaza or simmilar make as required within RCC beam and connected to junction boxes and feeder pillar; with 2.5mm dia., flexible, SS 304 steel wires as may be required for wiring and cabling. These pipes should have proper mechanical strength. Use 4Kg.cm2, pressure PVC pipe including T and caps all complete.	5024	rm		
16	Providing and fixing 32mm dia., PVC conduit pipe of Plaza or simmilar make as required within stainless steel members with 2.5mm dia., flexible, SS 304 steel wires as may be required for wiring and cabling. These pipes should have proper mechanical strength. Use 4Kg.cm2, pressure PVC pipe including T and caps all complete.	1649	rm		
17	Providing 80 mm thick and 600mm X 600mm in plan; 450mm in depth; machine moulded, , hydarulically pressed precast cement concrete heavy duty manhole and cover in cement concrete M-40 including steel reinforcements (100 Kg/Cum of concrete) with arrangement for lifting as per design and manufactured by using Vibro compaction process and FRP mould so as to archive joint less finish on exposed face as per sample approved by Engineer-in-charge.	314	each		
18	Providing and fixing medium grade MS junction boxes in cast in situ foundation beam of 150x150mm size.	942	each		



19	Providing and fixing MS Electrical weather proof feeder box, approximately 600mm wide and 900mm high, as required for installing MCB switch gear, and meters as required for advertisement and other electrical gear, with provision for inserting cable conduits as per design. The access to feeder box shall be through a tool based (common for all locks provided in each package) key, Tools should not be identical for different package shelters.	157	each		
20	Providing and fixing MS Heavy duty junction boxes with water seal, openable cover, and lock and key arrangement for access. These boxes shall be 180X180mm in size and shall be provided flushed with flooring, and fixed over concealed junction boxes fixed in the RCC beam. The keys shall be tool based (common for all locks provided in each package) key, Tools should not be identical for different package shelters.	942	each		
21	Excavation in Soil:- Excavation for roadway with disposal including all leads and lifts all complete as per MORST&H Specification Clause 301; in all types of soil other than hard rock and ordinary rock	2260	Cum		
22	Dismantling kerb stone by manual means and disposal of dismantled material with all lifts and lead as per relevant clauses of section-200.	4710	m		
23	Dismantling of footpath tile work in cement mortar including, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts and lead as per relevant clauses of section - 200.	2084	Cum		




24	Providing and fixing pneumatic add panel shutter openers cum balancers, of adequate weight and strength as required for central add panel shutter door weight and size	314	set		
25	Providing and fixing recessed shutter locks on all 8 openable add panel shutters in each shelter. The keys for locks shall be tool based (common for all locks provided in each package) key, Tools should not be identical for different package shelters.	1256	each		
26	Providing and fixing, heavy duty, SS prefabricated dust bins (approx. 15kg in weight) with canopy and two point support grouted in cement mortar, and finished as per floor finish.	157	each		
27	Dismantling of any type of existing old bus queue bus shelter structure, including sorting the dismantled material, disposal of all servicable and unserviceable material at the cost of tenderer, the cost of the components of the old bus queue sheter is to be credited to the employer.	157	each		
28	Providing and laying cast in situ CC M30 curb ramp in read mix concrete (RMC) as per specifications.	232	cum		




29	Providing and fixing anodised aluminium 25X50mm channel, frame with 40W standard manufactured tubelight fittings, with electronic choke starters and wiring all complete, connected to electrical supply from feeder box, with minimum 4 tubelightsx per square meter (of add panel size) or actual requirements decided by the engineer in charge. The tubelight frame and fittings (including that in feeder pillar) should include, ballast, ELCB, timer, MCB, mounting blocks, etc. The tubelight alignment should allow two way lighting (front and back) of add panel	4470	sqm		
30	Earthing of each bus shelte. Earthing shall be independent pipe type earthing pit with gel type earthing electrodes, Earth resistance not to exceed 5 ohms. Earhting should include MS earthing strip connecting shelter to earthing pit and electrodes all complete.	157	each		
31	Stand Alone signpost made out of 600mm high single piece cast steel ring equipped with GI square channel fitted inside, with a GI base plate. The equipment is provided with twin side 1500mm high aluminium display board firmly fixed on a GI frame with multiple arms, along with vinyl sheet with digital printing as per approved design with lighting arrangement, including complete wiring connections.	157	each		
TOTAL (In figure)					

TOTAL (In words)



LOCATION DETAILS PACKAGE 'A'



Package-A

List of tentative locations of 157 nos. proposed bus queue shelters

From ISBT to North Campus Ground.

1	I S House	GTB Ngr
2	I S House	ISBT
3	I S House	ISBT
4	Vishwa vidyalaya Metro Station	ISBT
5	Vishwa Vidyalaya Metro Station	GTB Ngr.
6	Mall Road	ISBT
7	Mall Road	GTB Ngr.
8	Khyber Pass	ISBT
9	Khyber Pass	GTB Ngr.
10	Delhi Vidhan Sabha/Vidhan Sabha Metro Station	ISBT
11	Delhi Vidhan Sabha/Vidhan Sabha Metro Station	GTB Ngr.
12	Old Sectt.	ISBT
13	Old Sectt.	GTB Ngr
14	I P College	ISBT
15	I P College	GTB Ngr
16	Metcalf House	ISBT
17	Metcalf House	GTB Ngr
18	I P College	ISBT
19	I P College	Mall Road
20	Civil Line Metro Station	ISBT
21	Civil Line Metro Station	Mall Road
22	Ludlow Castle	ISBT
23	Ludlow Castle	Mall Road
24	Khalsa College	Ring Road
25	Khalsa College	Mourice Nagar
26	Patel Chest	Ring Road
27	Patel Chest	Mourice Nagar
28	St. Stephen College	Hindu College opp.
29	Hindu College	Vijay Nagar
30	University of Delhi	Ring Road
31	University of Delhi	Malka Ganj
32	School of Social Work	Malka Ganj
33	School of Social Work	Ring Road



From Games Village to Chattarsal Stadium

34	Azad pur	GTB Ngr.
35	Azad pur	GTB Ngr
36	Azad pur	Azad pur
37	Azad pur	Azad pur
38	Model Town-III	GTB Ngr.
39	Model Town-III	Azad pur
40	Model Town-II	GTB Ngr.
41	Model Town-II	Azad pur
42	Alpana Cinema	GTB Ngr.
43	Alpana Cinema	Azad pur
44	New Police Line.	GTB Ngr.
45	New Police Line.	Azad pur
46	GTB Ngr.	ISBT
47	GTB Ngr.	Azad pur

From Shahdara Border to Ram Prastha Mandir


48	Shahdara Border	Gazipur
49	Surya Nagar	Gazipur
50	Surya Nagar	Shahdara Depot
51	Ram Prastha Mandir	Shahdara Depot
52	Ram Prastha Mandir	Gazipur

From Karkardoma Court to Jhilmil

53	Karkardoma Court	Jhilmil
54	Karkardoma Court	Karkardoma
55	Rishab Vihar	Jhilmil
56	Rishab Vihar	Karkardoma
57	A-Block Suraj Mal Vihar	Jhilmil
58	A-Block Suraj Mal Vihar	Karkardoma
59	Suraj Mal Park	Jhilmil
60	Suraj Mal Park	Karkardoma

From Old Delhi Rly. . Stn. to Bhai Mati Dass Chowk-Koria Pul

61	Rly. Station	Fateh Puri
62	Rly. Station	Fateh Puri
63	Rly. Station	Fateh Puri
64	Rly. Station	Fateh Puri
65	Rly. Station	Fateh Puri
66	Rly. Station	Fateh Puri
67	Rly. Station	Fateh Puri



68	Rly. Station	Fateh Puri
69	BMD Chowk	Rly.Station
70	BMD Chowk	Rly.Station

Lal Quila Area

71	Subash Park	Lal Quila
72	Subash Park	Lal Quila
73	Jama Masjid	Delhi Gate
74	Jama Masjid	Lal Quila
75	Lal Quila	Koria Pul
76	Lal Quila	Koria Pul
77	Lal Quila	Delhi Gate
78	Lal Quila	Delhi Gate
79	Lal Quila	Delhi Gate
80	Lal Quila	Delhi Gate

From Lala Hardev Sahai Marg to ST Stephen Hospital ISBT

81	St. Stephen Hospital	ISBT
82	St. Stephen Hospital	Tis Hazari
83	Tis Hazari Court	ISBT
84	Tis Hazari Court	Ice factory

From Singhu Border To GTK Bypass

85	Singhu Border	G.T. Karnal
86	Singhu Border	G.T. Karnal
87	Shingola Village	G.T. Karnal
88	Singhu Village	G.T. Karnal
89	Singhu Village	Singhu Border
90	AMPC	Singhu Border
91	AMPC	G.T. Karnal
92	Khanpur	G.T. Karnal
93	Bakoli Xingh	Singhu Border
94	Bakoli Xing	G.T. Karnal
95	Shani Dham Mandir	G.T. Karnal
96	Shani Dham Mandir	Singhu Border
97	Budh Pur	Singhu Border
98	Budh Pur	G.T. Karnal
99	Jain Mandir	G.T. Karnal
100	Jain Mandir	Singhu Border
101	Nangli Puna	Singhu Border
102	Nangli Puna	G.T. Karnal
103	Gurudwara	G.T. Karnal



104	Gurudwara	Singhu Border
105	Swaroop Nagar	Singhu Border
106	Swaroop Nagar	G.T. Karnal
107	Libas Pur	G.T. Karnal
108	Libas Pur	Singhu Border
109	Sanjay Gandhi Tpt. Nagar	Singhu Border
110	Sanjay Gandhi Tpt. Nagar	Singhu Border
111	BDO Office	Singhu Border
112	Ali Pur	Singhu Border
113	PWD Office Ali Pur	Singhu Border

Inside Mori Gate Terminal Area

114	Mori Gate	Inside
115	Mori Gate	Inside
116	Mori Gate	Inside
117	Mori Gate	Inside
118	Mori Gate	Inside
119	Mori Gate	Inside

Rajpur Road

120	New Court	STA
121	Old Civil Line/ Old Police Line	STA
122	Old Civil line / Old Police Line	Tis Hazari

From ISBT to GPO – Lala Ram Lal Marg

123	G.G.S. Indraprastha University	ISBT
124	G.G.S. Indraprastha University	GPO
125	G. P. O.	ISBT

From Lala Hardev Sahai Marg (St. Stephan Hospital to ISBT

126	Nitya Nand Marg	ISBT
127	Nitya Nand Marg	ISBT
128	Nitya Nand Marg	Tis Hazari
129	Nitya Nand Marg	Tis Hazari

Azadpur Terminal

130	Azadpur Terminal	Inside
131	Azadpur Terminal	Inside
132	Azadpur Terminal	Inside
133	Azadpur Terminal	Inside




Azadpur – Gurh Mandi

134	Azadpur Market	Ghanta Ghar
135	Bara Bagh	Ghanta Ghar
136	Bara Bagh	Azadpur
137	Gujrawala Town	Azadpur
138	Gujrawala Town	Ghanta Ghar
139	Telephone Exchange	Azadpur
140	Telephone Exchange	Ghanta Ghar
141	Harmilap Mission Ashram	Azadpur
142	Harmilap Mission Ashram	Ghanta Ghar
143	SBI	Azadpur
144	SBI	Ghanta Ghar
145	Gurdwara Nanak Pio	Azadpur
146	Gurdwara Nanak Pio	Ghanta Ghar
147	Rana Partap Bagh	Azadpur
148	Rana Partap Bagh	Ghanta Ghar
149	Gurh Mandi	Azadpur
150	Gurh Mandi	Ghanta Ghar


Yamuna Sports Complex

151	Yamuna Sports Complex	Inside
152	Yamuna Sports Complex	Inside
153	Yamuna Sports Complex	Inside
154	Yamuna Sports Complex	Inside
155	Yamuna Sports Complex	Inside
156	Yamuna Sports Complex	Inside
157	Yamuna Sports Complex	Inside

The above list is only indicative/ tentative. The Client/ Employer will be at liberty to change/add/ delete any location/ site of BQS for which no claim whatsoever will be entertained.



BILL OF QUANTITIES- PACKAGE 'B'



Bill of Quantity for Tender Package 'B'**Project : Construction of 165 numbers Bus Queue Shelter for DTC**

S.NO.	DESCRIPTION	Qty	Unit	RATE RS.	Amount	Rs.
1	Construction of granular sub-base (structural layer) by providing close graded material, mixing in a mechanical mix plant at OMC, carriage of mixed material to work sites, spreading in uniform layers on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with vibratory roller/compactor to achieve the desired density, complete in all respect and as per relevent clause of section 401.	1384.39125	cum			
2a	Providing and laying in position machine batched , machine mixed and machine vibrated design mix cement concrete of specified grade for reinforced cement concrete structural elements , excluding the cost of centering , shuttering , finishing and reinforcement , including admixtures in recommended proporation (as per IS 9103) to accelerate , retard setting of concrete improve workability without impairing strength and durability as per direction of Engineer - in -charge- M-25 grade reinforced cement concrete. The concrete shall be in RMC type.	369.765	Cum			



2b	Providing and laying in position machine batched , machine mixed and machine vibrated design mix cement concrete of specified grade for reinforced cement concrete structural elements , excluding the cost of centering , shuttering , finishing and reinforcement , including admixtures in recommended proportion (as per IS 9103) to accelerate , retard setting of concrete improve workability without impairing strength and durability as per direction of Engineer - in -charge- M-35 grade reinforced cement concrete. The concrete shall be in RMC type.	369.765	Cum		
3	Supply & Providing Thermo - mechanically treated reinforcement bars for R.C.C. work including straightening , cutting bending , placing in position and binding all complete.	40674.15	Kg		
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering -all works upto plinth level 1510(1 cement:5 fine sand:10 graded stone agregate) 40 mm nominal size	620.49075	cum		
5	Centring and shuttering including strutting , propping etc. and removal of form work for foundation & footing, beams etc.	3286.80	Sqm		
6	Providing and laying machine moulded cement concrete pavers blocks of 'Rectangular (150X300mm) and Unilock type'; of red colour of 60 mm thick, factory made (compressive strength not less than 400 Kg /sq.cm.) on 40mm thick 1:2:4 cement mortar bed. Blcks include 300X300, 60mm thick yellow colour tactile paver blocks with dimples, as per CPWD requirements. All colour shall be guaranteed against wearing for minimum 10 years.	12233.10	Sqm		



7	Providing & fixing various member of material shall be austenitic stainless steel of the grade 1.4301 (widely known as 304) it shall contain 17-18% chromium and 8-11% nickel (As per Specification)	271979.9542	Kg		
8	Providing and fixing 10mm thick polycarbonet multiwall sheet of bronze colour, fixed to roof purlins with top and bottom aluminium profile (anodised as per approved colour and shade) fittings and EPDM gasket as in standard make Alcox fittings or per manufacturer recomendations. Minimum of 35% light transmission and 55% solar transmission. Lexan Thermoclear Sun XP Sheet LTC10/2RS1700 (bronze) from GE structured products or equivalent. Polycarbonate multiwall sheet should be covered by 15 years of international warranty covering discoloration, loss of light transmission and loss of strength due to weathering, etc. Front and rear edges of polycarbonate multiwall sheet should be covered by plastic profile or anti dust impermeable tape.	4624.125	Sqm		
9	Providing and pasting at site high grade printed vinyl with bus shelter name logo, route numbers etc., on one sides of the front facia information board. The vinyl shall be minimum 150micron thick, of 3M or equivalent make with minimum 6 year warranty.	349.866	Sqm		




10	Providing and fixing 8mm thick scratch, flame and vandal resistant clear polycarbonate sheet on central advertisement panel. Clear Lexan Marguard sheet from GE plastics or equivalent product. Polycarbonate multiwall sheet should be covered by 15 years of international warranty covering discoloration, loss of light transmission and loss of strength due to weathering, etc.	2679.6	sqm		
11	Providing and fixing 4mm thick vandal resistant, solid compact clear polycarbonate sheets on side advertisement panels. Clear Lexan Marguard sheet from GE plastics or equivalent product. Polycarbonate multiwall sheet should be covered by 15 years of international warranty covering discoloration, loss of light transmission and loss of strength due to weathering, etc.	2018.016	Sqm		
12	Vandal Resistant light source with aluminium and polycarbonate body with compact fluorescent lamp of white colour of 55 W of standard, MY1: of keselec schreder or similar make, including cables fixing, switchgear etc., all complete.	330	each		
13	Holding down anchor bolts- 20 mm dia 350 long with bolt head and top 75 mm threaded portion with stainless steel nut and washers for balancing and anchoring all complete complete as required.	3300	each		
14	Providing and fixing M-30, PCC in Cast in Situ and Precast Kerb stones in different sizes. Precast curbs to be vibro compacted, steam cured and prepared using FRP moulds.	683.793	Cum		



15	Providing and fixing 32mm dia., PVC conduit pipe of Plaza or simmilar make as required within RCC beam and connected to junction boxes and feeder pillar; with 2.5mm dia., flexible, SS 304 steel wires as may be required for wiring and cabling. These pipes should have proper mechanical strength. Use 4Kg.cm2, pressure PVC pipe including T and caps all complete.	5280	rm		
16	Providing and fixing 32mm dia., PVC conduit pipe of Plaza or simmilar make as required within stainless steel members with 2.5mm dia., flexible, SS 304 steel wires as may be required for wiring and cabling. These pipes should have proper mechanical strength. Use 4Kg.cm2, pressure PVC pipe including T and caps all complete.	1732.5	rm		
17	Providing 80 mm thick and 600mm X 600mm in plan; 450mm in depth; machine moulded, , hydarulically pressed precast cement concrete heavy duty manhole and cover in cement concrete M-40 including steel reinforcements (100 Kg/Cum of concrete) with arrangement for lifting as per design and manufactured by using Vibro compaction process and FRP mould so as to archive joint less finish on exposed face as per sample approved by Engineer-in-charge.	330	each		
18	Providing and fixing medium grade MS junction boxes in cast in situ foundation beam of 150x150mm size.	990	each		



19	Providing and fixing MS Electrical weather proof feeder box, approximately 600mm wide and 900mm high, as required for installing MCB switch gear, and meters as required for advertisement and other electrical gear, with provision for inserting cable conduits as per design. The access to feeder box shall be through a tool based (common for all locks provided in each package) key, Tools should not be identical for different package shelters.	165	each		
20	Providing and fixing MS Heavy duty junction boxes with water seal, openable cover, and lock and key arrangement for access. These boxes shall be 180X180mm in size and shall be provided flushed with flooring, and fixed over concealed junction boxes fixed in the RCC beam. The keys shall be tool based (common for all locks provided in each package) key, Tools should not be identical for different package shelters.	990	each		
21	Excavation in Soil:- Excavation for roadway with disposal including all leads and lifts all complete as per MORST&H Specification Clause 301; in all types of soil other than hard rock and ordinary rock	2374.647	Cum		
22	Dismantling kerb stone by manual means and disposal of dismantled material with all lifts and lead as per relevant clauses of section-200.	4950	m		
23	Dismantling of footpath tile work in cement mortar including, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts and lead as per relevant clauses of section - 200.	2190.375	Cum		




24	Providing and fixing pneumatic add panel shutter openers cum balancers, of adequate weight and strength as required for central add panel shutter door weight and size	330	set		
25	Providing and fixing recessed shutter locks on all 8 openable add panel shutters in each shelter. The keys for locks shall be tool based (common for all locks provided in each package) key, Tools should not be identical for different package shelters.	1320	each		
26	Providing and fixing, heavy duty, SS prefabricated dust bins (approx. 15kg in weight) with canopy and two point support grouted in cement mortar, and finished as per floor finish.	165	each		
27	Dismantling of any type of existing old bus queue bus shelter structure, including sorting the dismantled material, disposal of all servicable and unserviceable material at the cost of tenderer, the cost of the components of the old bus queue sheter is to be credited to the employer.	165	each		
28	Providing and laying cast in situ CC M30 curb ramp in read mix concrete (RMC) as per specifications.	244.035	cum		



29	Providing and fixing anodised aluminium 25X50mm channel, frame with 40W standard manufactured tubelight fittings, with electronic choke starters and wiring all complete, connected to electrical supply from feeder box, with minimum 4 tubelightsx per square meter (of add panel size) or actual requirements decided by the engineer in charge. The tubelight frame and fittings (including that in feeder pillar) should include, ballast, ELCB, timer, MCB, mounting blocks, etc. The tubelight alignment should allow two way lighting (front and back) of add panel	4697.616	sqm		
30	Earthing of each bus shelte. Earthing shall be independent pipe type earthing pit with gel type earthing electrodes, Earth resistance not to exceed 5 ohms. Earthing should include MS earthing strip connecting shelter to earthing pit and electrodes all complete.	165	each		
31	Stand Alone signpost made out of 600mm high single piece cast steel ring equipped with GI square channel fitted inside, with a GI base plate. The equipment is provided with twin side 1500mm high aluminium display board firmly fixed on a GI frame with multiple arms, along with vinyl sheet with digital printing as per approved design with lighting arrangement, including complete wiring connections.	165	each		
TOTAL (In figure)					

TOTAL (In words)



LOCATION DETAILS PACKAGE 'B'



Package-B

List of tentative locations of 165 nos. proposed bus queue shelters

From Dr.Karni Singh Stadium to Ambedkar Nagar/BRT Corridor

S. No	Name of BQS	WPT
1.	M.B.Road	Ambedkar Nagar
2.	M.B.Road	Badar Pur
3.	Mahavir Stone	Ambedkar Nagar
4.	Mahavir Stone	Badar Pur
5.	Kaya Maya Hospital	Ambedkar Nagar
6.	Kaya Maya Hospital	Badar Pur
7.	Tughlakabad	Ambedkar Nagar
8.	Tughlakabad	Badar Pur
9.	Air Force Station	Ambedkar Nagar
10.	Air Force Station	Badar Pur
11.	Air Force Station	Ambedkar Nagar
12.	Air Force Station	Badar Pur
13.	Sangam Vihar	Ambedkar Nagar
14.	Sangam Vihar	Badar Pur
15.	Batra Hospital	Ambedkar Nagar
16.	Batra Hospital	Badar Pur
17.	Sat Narain Tample	Ambedkar Nagar
18.	Sat Narain Tample	Badar Pur
19.	Vayu Sena Bad	Ambedkar Nagar
20.	Vayu Sena Bad	Badar Pur
21.	Deoli X-ing	Badar Pur
22.	Khan Pur Ext.	Ambedkar Nagar
23.	G-Block Dakshin Puri	Badar Pur
24.	A.N.Depot	Badar Pur

Qutab Minar Area

25	Qutab Minar	Inside
26	Qutab Minar	Inside

Sri Fort Road

27	Kamla Nehru Marg	Nehru Place
28	Gargi College	Khel Gaon
29	Gargi College	Nehru Place
30	Siri Fort Xing	Khel Gaon



From Badar Pur Border to Prem Nagar(MB Road)

31	Rajiv Gandhi Std.	Ambedkar Nagar
32	Rajiv Gandhi Std.	Badar Pur
33	Prahlad Pur	Ambedkar Nagar
34	Prahlad Pur	Badar Pur
35	Suraj Kund X-ing	Ambedkar Nagar
36	Suraj Kund X-ing	Badar Pur
37	Lal Kuan	Badar Pur
38	Prem Nagar	Ambedkar Nagar
39	Prem Nagar	Badar Pur

Saket Area

40	Saket J Block	Hauz Khas
41	Saket J Block	M.B. Road
42	Saket Terminal	Hauz Rani
43	Saket M Block	Hauz Rani
44	Saket M Block	M.B. Road
45	Saket J Block	Anupam
46	Saket J Block	Saket Terminal
47	Saket G Block	Anupam
48	Saket G Block	Saket Terminal
49	Anupam Cinema	Press Enclave
50	Anupam Cinema	Saket

Ber Sarai – Kishan Garh

51	Ber Sarai	Kishan Garh
52	Ber Sarai	Kishan Garh
53	Ber Sarai	Outer Ring Road
54	Ber Sarai	Outer Ring Road
55	School of Physical Science	Kishan Garh
56	ICSSR	Outer Ring Road
57	Kishan Garh	Outer Ring Road

Mehrauli Terminal

58	Mehrauli (T)	Inside
59	Mehrauli (T)	Inside
60	Mehrauli (T)	Inside
61	Mehrauli (T)	Inside



Lado Sarai Terminal

62	Lado Sarai Terminal	Inside Terminal
63	Lado Sarai Terminal	Inside Terminal
64	Lado Sarai Terminal	Inside Terminal
65	Lado Sarai Terminal	Inside Terminal

From Malviya Nagar to Begam Pur to Geetanjali

66	Begam Pur	Begam Pur
67	Begam Pur	Geetanjali
68	Malviya Nagar	Begam Pur
69	Malviya Nagar	Geetanjali
70	Aurbindo College	Begam Pur
71	Aurbindo College	Geetanjali
72	Geetanjali	Begam Pur

Hauz Khas Terminal

73	Haus Khas Terminal	Inside Terminal
74	Haus Khas Terminal	Inside Terminal
75	Haus Khas Terminal	Inside Terminal

Nehru Place Terminal


76	Nehru Place Terminal	Nehru Place Terminal
77	Nehru Place Terminal	Nehru Place Terminal
78	Nehru Place Terminal	Nehru Place Terminal
79	Nehru Place Terminal	Nehru Place Terminal
80	Nehru Place Terminal	Nehru Place Terminal
81	Nehru Place Terminal	Nehru Place Terminal
82	Nehru Place Terminal	Nehru Place Terminal
83	Nehru Place Terminal	Nehru Place Terminal

Jal Vihar Terminal

84	Jal Vihar Terminal	Inside Terminal
85	Jal Vihar Terminal	Inside Terminal

Kalka Devi Road

86	Garhi Village	Lajpat Nagar
87	Garhi Village	L S R College
88	Sapna Cinema	Garhi Village
89	Sapna Cinema	L S R College




From CRPF Camp to DDA Flat kalkaji Xing

90	CRPF Camp	Okhla Ph-I
91	CRPF Camp	Tara Apartment
92	DDA Kalkaji Ext.	Okhla Ph-I
93	DDA Kalkaji Ext.	Tara Apartment
94	T.B. Extension	Tara Apartment

From Games Village to Yaumna Sports Complex.

95	Ghazi Pur Xing	Akshar Dham
96	Ghazi Pur Xing	U.P.Border
97	Khichari Pur	Akshar Dham
98	Khichari Pur	Ghazi Pur
99	East Vinod Nagar Depot	Akshar Dham
100	East Vinod Nagar Depot	Ghazi Pur
101	Samas Pur Jagir Village	Akshar Dham
102	Samas Pur Jagir Village	Ghazi Pur
103	Ram Prastha Xing	Gazipur
104	Ram Prastha Xing	Shahdara Depot
105	Anand Vihar ISBT	Shahdara Depot
106	Anand Vihar ISBT	Gazipur
107	Anand Vihar (Maharaj Pur Check Post)	Shahdara Depot
108	Anand Vihar (Maharaj Pur Check Post)	Gazipur
109	Gazipur Depot	Gazipur
110	Gazipur Depot	Shahdara Depot
111	Gazipur Depot	Gazi Pur
112	Telco Gazipur	Gazi Pur
113	Gazipur Village	Shahdara Depot
114	Gazipur Village	Gazipur
115	SFS Gazipur	Gazipur
116	SFS Gazipur	Shahdara Depot
117	Gazipur Dairy Farm	Gazipur
118	Shreshta Vihar	Suraj Mal Vihar
119	Shreshta Vihar	Border
120	Yojana Vihar	Border
121	Yojana Vihar	Suraj Mal Vihar
122	Yamuna Velodrum	Border
123	Yamuna Velodrum	Suraj Mal Vihar
124	D-Block Suraj Mal Vihar	Border
125	D-Block Suraj Mal Vihar	Suraj Mal Vihar



From Games Village to J L N Stadium / I G Stadium

126	Akshar Dham Mandir	Nizammudin
127	PWD office NH-24	Nizammudin
128	Delhi Sectt.	ITO
129	Delhi Sectt.	Ram Vihar
130	Rainy Well	ITO
131	Rainy Well	Ram Vihar
132	Yamuna Bank Metro Stn.	Akshar Dham Mandir
133	Yamuna Bank Metro Stn.	T T Post

From Laxmi Nagar to Nirman Vihar to Karkari X-ing

134	Laxmi Nagar	ITO
135	Laxmi Nagar	Ram Vihar
136	Shakar Pur	ITO
137	Shakar Pur	Ram Vihar
138	Shakar Pur X-ing	ITO
139	Shakar Pur X-ing	Ram Vihar
140	Nirman Vihar	ITO
141	Nirman Vihar	Ram Vihar
142	Swasthya Vihar	ITO
143	Swasthya Vihar	Ram Vihar
144	New Rajdhani Enclave	ITO
145	New Rajdhani Enclave	Ram Vihar
146	Karkari X-ing	ITO
147	Karkari X-ing	Ram Vihar

From Har Gobind Enclave to Ram Vihar


148	Har Gobind Enclave	ITO
149	Har Gobind Enclave	Ram Vihar
150	Saini Enclave	ITO
151	Saini Enclave	Ram Vihar
152	Jagruti Enclave	ITO
153	Jagruti Enclave	Ram Vihar
154	Anand Vihar	ITO
155	Anand Vihar	Ram Vihar
156	Ram Vihar	ITO
157	Ram Vihar	Ram Vihar



From Noida Border to Noida Xing

158	Mayur Place	Noida
159	Mayur Place	Nizammuddin
160	Samachar Appartment	Nizammuddin
161	Samachar Appartment	Noida
162	Mayur Vihar-I Xing	Noida
163	Mayur Vihar-I Xing	Nizammuddin
164	Delhi Polie Apartment	Noida
165	Noida Xing	Noida

The above list is only indicative/ tentative. The Client/ Employer will be at liberty to change/add/ delete any location/ site of BQS for which no claim whatsoever will be entertained.




BILL OF QUANTITIES- PACKAGE 'C'




Bill of Quantity for Tender Package 'C'

Project : Construction of 178 numbers Bus Queue Shelter for DTC

S.NO.	DESCRIPTION	Qty	Unit	RATE RS.	Amount	Rs.
1	Construction of granular sub-base (structural layer) by providing close graded material, mixing in a mechanical mix plant at OMC, carriage of mixed material to work sites, spreading in uniform layers on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with vibratory roller/compactor to achieve the desired density, complete in all respect and as per relevent clause of section 401.	1493	cum			
2a	Providing and laying in position machine batched , machine mixed and machine vibrated design mix cement concrete of specified grade for reinforced cement concrete structural elements , excluding the cost of centering , shuttering , finishing and reinforcement , including admixtures in recommended proporation (as per IS 9103) to accelerate , retard setting of concrete improve workability without impairing strength and durability as per direction of Engineer - in -charge- M-25 grade reinforced cement concrete. The concrete shall be in RMC type.	399	Cum			



2b	Providing and laying in position machine batched , machine mixed and machine vibrated design mix cement concrete of specified grade for reinforced cement concrete structural elements , excluding the cost of centering , shuttering , finishing and reinforcement , including admixtures in recommended proportion (as per IS 9103) to accelerate , retard setting of concrete improve workability without impairing strength and durability as per direction of Engineer - in -charge- M-35 grade reinforced cement concrete. The concrete shall be in RMC type.	399	Cum		
3	Supply & Providing Thermo - mechanically treated reinforcement bars for R.C.C. work including straightening , cutting bending , placing in position and binding all complete.	43879	Kg		
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering -all works upto plinth level 1510(1 cement:5 fine sand:10 graded stone agregate) 40 mm nominal size	669	Cum		
5	Centring and shuttering including strutting , propping etc. and removal of form work for foundation & footing, beams etc.	3546	Sqm		
6	Providing and laying machine moulded cement concrete pavers blocks of 'Rectangular (150X300mm) and Unilock type'; of red colour of 60 mm thick, factory made (compressive strength not less than 400 Kg /sq.cm.) on 40mm thick 1:2:4 cement mortar bed. Bcks include 300X300, 60mm thick yellow colour tactile paver blocks with dimples, as per CPWD requirements. All colour shall be guaranteed against wearing for minimum 10 years.	13197	Sqm		



7	Providing & fixing various member of material shall be austenitic stainless steel of the grade 1.4301 (widely known as 304) it shall contain 17-18% chromium and 8-11% nickel (As per Specification)	293409	Kg		
8	Providing and fixing 10mm thick polycarbonet multiwall sheet of bronze colour, fixed to roof purlins with top and bottom aluminium profile (anodised as per approved colour and shade) fittings and EPDM gasket as in standard make Alcox fittings or per manufacturer recomendations. Minimum of 35% light transmission and 55% solar transmission. Lexan Thermoclear Sun XP Sheet LTC10/2RS1700 (bronze) from GE structured products or equivalent. Polycarbonate multiwall sheet should be covered by 15 years of international warranty covering discoloration, loss of light transmission and loss of strength due to weathering, etc. Front and rear edges of polycarbonate multiwall sheet should be covered by plastic profile or anti dust impermeable tape.	4988	Sqm		
9	Providing and pasting at site high grade printed vinyl with bus shelter name logo, route numbers etc., on one sides of the front facia information board. The vinyl shall be minimum 150micron thick, of 3M or equivalent make with minimum 6 year warranty.	377	Sqm		



10	Providing and fixing 8mm thick scratch, flame and vandal resistant clear polycarbonate sheet on central advertisement panel. Clear Lexan Marguard sheet from GE plastics or equivalent product. Polycarbonate multiwall sheet should be covered by 15 years of international warranty covering discoloration, loss of light transmission and loss of strength due to weathering, etc.	2891	sqm		
11	Providing and fixing 4mm thick vandal resistant, solid compact clear polycarbonate sheets on side advertisement panels. Clear Lexan Marguard sheet from GE plastics or equivalent product. Polycarbonate multiwall sheet should be covered by 15 years of international warranty covering discoloration, loss of light transmission and loss of strength due to weathering, etc.	2177	Sqm		
12	Vandal Resistant light source with aluminium and polycarbonate body with compact fluorescent lamp of white colour of 55 W of standard, MY1: of keselec schreder or similar make, including cables fixing, switchgear etc., all complete.	356	each		
13	Holding down anchor bolts- 20 mm dia 350 long with bolt head and top 75 mm threaded portion with stainless steel nut and washers for balancing and anchoring all complete complete as required.	3560	each		
14	Providing and fixing M-30, PCC in Cast in Situ and Precast Kerb stones in different sizes. Precast curbs to be vibro compacted, steam cured and prepared using FRP moulds.	738	Cum		




15	Providing and fixing 32mm dia., PVC conduit pipe of Plaza or simmlar make as required within RCC beam and connected to junction boxes and feeder pillar; with 2.5mm dia., flexible, SS 304 steel wires as may be required for wiring and cabling. These pipes should have proper mechanical strength. Use 4Kg.cm2, pressure PVC pipe including T and caps all complete.	5696	rm		
16	Providing and fixing 32mm dia., PVC conduit pipe of Plaza or simmlar make as required within stainless steel members with 2.5mm dia., flexible, SS 304 steel wires as may be required for wiring and cabling. These pipes should have proper mechanical strength. Use 4Kg.cm2, pressure PVC pipe including T and caps all complete.	1869	rm		
17	Providing 80 mm thick and 600mm X 600mm in plan; 450mm in depth; machine moulded, , hydarulically pressed precast cement concrete heavy duty manhole and cover in cement concrete M-40 including steel reinforcements (100 Kg/Cum of concrete) with arrangement for lifting as per design and manufactured by using Vibro compaction process and FRP mould so as to archive joint less finish on exposed face as per sample approved by Engineer-in-charge.	356	each		
18	Providing and fixing medium grade MS junction boxes in cast in situ foundation beam of 150x150mm size.	1068	each		



19	Providing and fixing MS Electrical weather proof feeder box, approximately 600mm wide and 900mm high, as required for installing MCB switch gear, and meters as required for advertisement and other electrical gear, with provision for inserting cable conduits as per design. The access to feeder box shall be through a tool based (common for all locks provided in each package) key, Tools should not be identical for different package shelters.	178	each		
20	Providing and fixing MS Heavy duty junction boxes with water seal, openable cover, and lock and key arrangement for access. These boxes shall be 180X180mm in size and shall be provided flushed with flooring, and fixed over concealed junction boxes fixed in the RCC beam. The keys shall be tool based (common for all locks provided in each package) key, Tools should not be identical for different package shelters.	1068	each		
21	Excavation in Soil:- Excavation for roadway with disposal including all leads and lifts all complete as per MORST&H Specification Clause 301; in all types of soil other than hard rock and ordinary rock	2562	Cum		
22	Dismantling kerb stone by manual means and disposal of dismantled material with all lifts and lead as per relevant clauses of section-200.	5340	m		
23	Dismantling of footpath tile work in cement mortar including, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts and lead as per relevant clauses of section - 200.	2363	Cum		




24	Providing and fixing pneumatic add panel shutter openers cum balancers, of adequate weight and strength as required for central add panel shutter door weight and size	356	set		
25	Providing and fixing recessed shutter locks on all 8 openable add panel shutters in each shelter. The keys for locks shall be tool based (common for all locks provided in each package) key, Tools should not be identical for different package shelters.	1424	each		
26	Providing and fixing, heavy duty, SS prefabricated dust bins (approx. 15kg in weight) with canopy and two point support grouted in cement mortar, and finished as per floor finish.	178	each		
27	Dismantling of any type of existing old bus queue bus shelter structure, including sorting the dismantled material, disposal of all servicable and unserviceable material at the cost of tenderer, the cost of the components of the old bus queue sheter is to be credited to the employer.	178	each		
28	Providing and laying cast in situ CC M30 curb ramp in read mix concrete (RMC) as per specifications.	263	cum		



29	Providing and fixing anodised aluminium 25X50mm channel, frame with 40W standard manufactured tubelight fittings, with electronic choke starters and wiring all complete, connected to electrical supply from feeder box, with minimum 4 tubelightsx per square meter (of add panel size) or actual requirements decided by the engineer in charge. The tubelight frame and fittings (including that in feeder pillar) should include, ballast, ELCB, timer, MCB, mounting blocks, etc. The tubelight alignment should allow two way lighting (front and back) of add panel	5068	sqm		
30	Earthing of each bus shelte. Earthing shall be independent pipe type earthing pit with gel type earthing electrodes, Earth resistance not to exceed 5 ohms. Earthing should include MS earthing strip connecting shelter to earthing pit and electrodes all complete.	178	each		
31	Stand Alone signpost made out of 600mm high single piece cast steel ring equipped with GI square channel fitted inside, with a GI base plate. The equipment is provided with twin side 1500mm high aluminium display board firmly fixed on a GI frame with multiple arms, along with vinyl sheet with digital printing as per approved design with lighting arrangement, including complete wiring connections.	178	each		
TOTAL (In figure)					

TOTAL (In words)



LOCATION DETAILS PACKAGE 'C'



Package-C


List of tentative locations of 178 nos. proposed bus queue shelters

Lajwanti Garden to Janakpuri to Uttam Nagar

1	Lajwanti Garden	Lajwanti Garden
2	Lajwanti Garden	Uttam Nagar
3	Janakpuri D Block	Uttam Nagar
4	Nangal Rai	Uttam Nagar
5	Janakpuri D Block	Uttam Nagar
6	Janakpuri D Block	Uttam Nagar
7	Vashisht Park	Lajwanti Garden
8	Sagarpur	Uttam Nagar
9	DESU Colony	Lajwanti Garden
10	DESU Colony	Uttam Nagar
11	Janak Cinema	Lajwanti Garden
12	Janak Cinema	Uttam Nagar
13	Dabri Xingh	Lajwanti Garden
14	Dabri Xing	Uttam Nagar
15	C-2 Janakpuri	Lajwanti Garden
16	C-2 Janakpuri	Uttam Nagar
17	C-1 Janakpuri	Lajwanti Garden
18	C-1 Janakpuri	Lajwanti Garden
19	C-1 Janakpuri	Uttam Nagar
20	C-1 Janakpuri	Uttam Nagar
21	C-1 Janakpuri	Uttam Nagar
22	C-1 Janakpuri	Lajwanti Garden
23	Jeevan Park	Lajwanti Garden
24	Tilak Pul	Uttam Nagar
25	Tilak Pul	Lajwanti Garden
26	A-1 Janakpuri	Uttam Nagar
27	A-1 Janakpuri	Uttam Nagar
28	A-1 Janakpuri	Lajwanti Garden
29	A-1 Janakpuri	Lajwanti Garden

From Dhaula Kuan to Delhi Cantt.(Flyover)

30	RR Lines	Dhaulta Kuan
31	RR Lines	Tilak Nagar
32	Army Qtrs. Multi Storey	Dhaulta Kuan
33	Army Qtrs. Multi Storey	Tilak Nagar
34	Kirbi Plasce	Dhaulta Kuan
35	Kirbi Place	Tilak Nagar
36	Supply Depot	Dhaulta Kuan
37	Supply Depot	Tilak Nagar




From Delhi Cantt.. (Flyover) to Tilak Nagar

38	Tihar Jail	Dhaura Kuan
39	Tihar Jail	Tilak Nagar
40	HND-I	Tilak Nagar
41	HND-I	Tilak Nagar
42	HND-I	Dhaura Kuan
43	Hari Nagar G Block	Tilak Nagar
44	Hari Nagar G Block	Dhaura Kuan
45	Fateh Nagar	Tilak Nagar
46	Tilak Nagar	Dhaura Kuan
47	Tilak Nagar	Dhaura Kuan

From Dayal Chowk to Pusa Road to Shadipur Depot To Moti Nagar

48	Sadhu Vasvani Marg	Moti Nagar
49	Sadhu Vasvani Marg	Dayal Chowk
50	Karol Bagh Metro Stn	Moti Nagar
51	Karol Bagh Metro Stn.	Dayal Chowk
52	Telephne Exchange	Moti Nagar
53	Telephone Exchange	Dayal Chowk
54	Rajinder Place Metro Stn	Moti Nagar
55	Rajinder palce metro Stn.	Dayal Chowk
56	East Patel Nagar	Moti Nagar
57	East Patel Nagar	Moti Nagar
58	East Patel Nagar	Moti Nagar
59	East Patel Nagar	Dayal Chowk
60	East Patel Nagar	Dayal Chowk
61	Patel NagarMetro Stn.	Dayal Chowk
62	West Patel Nagar	Moti Nagar
63	West Patel Nagar	Moti Nagar
64	West Patel Nagar	Dayal Chowk
65	Shadi Pur Metro Stn.	Moti Nagar
66	Shadi Pur Metro Stn.	Dayal Chowk
67	Shadipur Depot	Moti Nagar
68	Shadipur Depot	Dayal Chowk
69	Shadi Pur Depot	Dayal Chowk
70	Moti Ngr. Ind.Area	Moti Ngr
71	Moti Ngr. Ind.Area	Moti Nagar
72	Moti Ngr. Ind.Area	Dayal Chowk
73	Moti Ngr. Ind.Area	Dayal Chowk
74	Moti Ngr.	Dayal Chowk
75	Karam Pura Terminal	Moti Nagar
76	Karam Pura Terminal	Moti Nagar



77	Karam Pura Terminal	Moti Nagar
78	Karam Pura Terminal	Dayal Chowk
79	Karam Pura Terminal	Dayal Chowk
80	Karam Pura Terl	Inside
81	Karam Pura Terl	Inside
82	NewMoti Ngr.(B Block)	Ring Rd.
83	New Moti Ngr.(B Block)	Dayal Chowk
84	Punjabi Bagh Terminal	Ring Rd.
85	Punjabi Bagh Terminal	Dayal Chowk
86	Punjabi Bagh Terminal	Dayal Chowk

Shankar Road


87	Rajinder Place	Talkatora Stadium
88	Shanker Rd.	Pusa chowk
89	New Rajinder Ngr. P.O.	Pusa Chowk

From Raja Garden to Zakhira

90	Raja Garden	Raja Garden
91	Bali Ngr	Zakhira
92	Bali Ngr.	Raja Garden
93	Ramesh Nagar	Zakhira
94	Ramesh Nagar	Raja Garden
95	Kirti Nagar	Raja Garden
96	Moti Nagar	Raja Garden
97	Moti Nagar	Raja Garden
98	Moti Nagar	Zakhira

From Shadipur Colony to Naraina Vihar

99	Shadi Pur Colony	Naraina Vihar
100	Shadi Pur Colony	Shadipur Depot
101	Pandav Nagar	Naraina Vihar
102	Pandav Nagar	Shadipur Depot
103	Naraina Depot	Naraina Vihar
104	Naraina Depot	Shadipur Depot
105	Bentex	Naraina Vihar
106	Bentex	Shadipur Depot
107	Loha Mandi	Naraina Vihar
108	Loha Mandi	Shadipur Depot
109	Payal Cinema	Naraina Vihar
110	Payal Cinema	Shadipur Depot
111	Indira Market	Naraina Vihar
112	Indira Market	Shadipur Depot



From Loha Mandi to Pusa Chowk

113	Krishi Kunj	Pusa Road
114	Krishi kunj	Loha mandi
115	Indira Puri	Pusa Road
116	Indira Puri	Loha mandi
117	Indira Puri A Block	Pusa Road
118	Indira Puri A Block	Loha mandi
119	Monitoring & receiving Station (AIR)	Pusa Road
120	Monitoring & receiving Station (AIR)	Loha mandi
121	Todapur Village	Pusa road
122	Todapur Village	Pusa Road
123	Todapur Village	Loha mandi
124	NASC Das Ghara	Pusa Road
125	NASC Das Ghara	Loha mandi
126	Pusa quarter	Pusa Road
127	Pusa quarter	Loha mandi
128	Janak Vihar	Pusa Road
129	Janak Vihar	Loha mandi
130	Rajindra Ngr. R Block	Pusa Road
131	Rajindra Ngr. R Block	Loha mandi
132	East Patel Nagar	Pusa Road
133	East Patel Nagar	Loha mandi
134	NPL Colony	Loha Mandi
135	NPL Colony	Pusa Road

From Maya Puri Xing to Lajwanti Xing

136	Maya puri xing	Maya puri
137	Mayapuri xing	Lajwanti
138	Govt.Press	Mayapuri
139	Govt.Press	Lajwanti
140	Metal Forzing	Mayapuri
141	Metal Forzing	Lajwanti
142	P.S.Mayapuri	Mayapuri
143	P.S.Mayapuri	Lajwanti
144	Boby shop	Mayapuri
145	Boby shop	Lajwanti
146	Gulab House	Mayapuri
147	Gulab House	Lajwanti
148	Janak Market	Mayapuri
149	Janak Market	Lajwanti



From Kirti Nagar to Maya Puri

150	P.S.Kirti Nagar	Maya Puri
151	P.S.Kirti Nagar	Kirti Nagar
152	Sarswati Garden	Kirti Nagar
153	Sarswati Garden	M.Puri
154	Wood Mkt (Mansarover Garden)	Kirti Nagar
155	Wood Mkt (Mansarover Garden)	Maya Puri
156	Fire Station (Kirti Ngr.)	Kirti Nagar
157	Fire Station (Kirti Ngr.)	Maya Puri

Vikas Puri Area

158	Vikas Puri Xing	Uttam Nagar
159	Vikas Puri Xing	Vikas Puri
160	P.S.Vikas Puri	Vikas Puri
161	P.S.Vikas Puri	Uttam Nagar
162	C-BlockVikas Puri	Uttam Nagar
163	C-BlockVikas Puri	Vikas Puri
164	Vill.Budella Opp. C-Block	Vikas Puri
165	Oxford School	Vikas Puri
166	Gurdwara Vikas Puri	Uttam Nagar
167	Gurudwara Vikas Puri	Vikas Puri
168	M-BlockVikas Puri	Vikas Puri
169	M-BlockVikas Puri	Uttam Nagar
170	J-BlockVikas Puri	Uttam Nagar
171	J-BlockVikas Puri	Vikas Puri
172	H-3 Vikas Puri	Uttam Nagar
173	JG-3 Vikas Puri	O.Ring Rd.
174	CRPF Keshav Puram Vill.	Vikas Puri

Raja Garden Terminal

175	Raja Garden	Inside
176	Raja Garden	Inside
177	Raja Garden	Inside
178	Raja Garden	Inside

The above list is only indicative/ tentative. The Client/ Employer will be at liberty to change/add/ delete any location/ site of BQS for which no claim whatsoever will be entertained.

