

**DELHI TRANSPORT CORPORATION  
OFFICE OF MANAGER (C) PC-III  
I. P. ESTATE: HQ. NEW DELHI.**

No. Mgr. (C) PC-III/2010/

Dated:

**Limited Tender/Quotation.**

To,

M/s \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Sub: - Const. /raising of Front Boundary wall with concertina wire fencing at DTC Depot Subhash Place.**

The percentage rates quotations are invited by this office for the execution of the work: -  
“Const./raising of Front boundary wall with concertina wire fencing at DTC Depot Subhash Place.” as per schedule of quantities enclosed.

The offer shall be received in the tender cell, room No.-207 at DTC Hqtr., I.P. Estate New Delhi-110002 before 12.00 hrs. on dated 23.02.2010 and shall be opened at 15.00 hrs. on dated 23.02.2010.

You are requested to kindly send your offer before due date and time.

**Terms & Conditions.**

- (i) The work shall be executed as per CPWD specification 1996 Vol- I to VI with correction slips issued up to the date and as per direction of Engineer –in –charge.
- (ii) The contractor shall take all safety measures for satisfactory completion of the work at his own cost. and he shall be completely responsible for any mishap that may occur during execution of the work.
- (iii) No T & P will be provided by the DTC.
- (iv) All valid/mandatory taxes will be deducted as per Govt. rules from contractor bill.
- (v) Any damage to any part of the building during execution of the work shall be made good by the contractor at his own cost.
- (vi) The percentage rates quoted by the contractor includes cost of royalty, octroi, local taxes, cartage, labour, material etc. and all other inputs involved for satisfactory execution of the work/items.
- (vii) The contractor shall make his own arrangement for filtered & unfiltered water, for use in construction and for his labour.
- (viii) The time allowed for the execution of the work shall be **One Month.**

Thanking you.

Encl: - Schedule of items.

Yours faithfully,

(O. P. Sharma)  
Mgr. (Civil) PC-III

## Schedule of Quantity

**Name of Work: - Const./raising of Front Boundary wall with concertina wire fencing at DTC Depot Subhash Place..**

<b>S. No.</b>	<b>Discription of Item</b>	<b>QTY</b>	<b>Unit</b>	<b>Rate (Rs.)</b>	<b>Amount. (Rs.)</b>
<b>1</b>	Brick work with F.P.S. brick of class designation 75 in superstructure above plinth level up to floor V level in all shapes and sizes in: a) Cement morta 1:6 (1 Cement : 6 Coarse sand)	8.00	cum	2357.40	18859.20
<b>2</b>	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete:	100.00	Kg.	46.35	4635.00
<b>3</b>	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets etc. up to floor five level, excluding the cost of centering, shuttering and finishing : a) 1:2:4 (1 Cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	0.30	cum.	3579.10	1073.73
<b>4</b>	Centering and shuttering including strutting, propping etc. and removal of form work for: a) Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets etc.	2.00	Sqm.	180.40	360.80

5	Providing and fixing concertina coil fencing with required dia 610 mm(having 15 nos. round per 6 metre length) up to 3m height of wall with existing angle iron 'Y' shaped placed 2.4 m or 3.00 m apart and with 9 horizontal R.B.T. stud tied with G.I. staples and G.I. clips to retain horizontal including necessary bolts or G.I. barbed wire tied to angle iron all complete as per direction of Engineer-in-charge with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)	22.00	m	180.25	3965.50
6	12 mm cement plaster of mix: a) 1:6 ( 1 cement:6 fine sand)	40.00	Sqm.	67.65	2706.00
7	15 mm cement plaster on the rough side of single or half brick wall of mix: a) 1:6 ( 1 cement:6 fine sand)	40.00	Sqm.	78.55	3142.00
	<b>Total =</b>				<b>34742.23</b>

Sr. Mgr. (C )

Mgr. (C )

S.O. (C )